

Annexure-15


भवन की वास्तविक स्थिति

कक्ष क्रमांक	आकार (लम्बाई x चौड़ाई)	क्षेत्रफल (वर्ग फीट में)	नोडल अधिकारी की टिप्पणी
15	22'.7 1/2" x 33'0"	752.4	
17	20'.4" x 27'.4"	558.96	
23	23'.4 1/2" x 19'.7 1/2"	465.3	
24	38'.4 1/2" x 19'.7 1/2"	762.3	
28, 29, 30	22'.3" x 16'.6"	370.18	
305	34'.7 1/4" x 26'.10 1/4"	908.28	
306	34'.7 1/4" x 26'.9"	936.12	
Home Sc. Lab	22'.7 1/2" x 33'0"	752.4	
Psychology	20'.3" x 18'.6"	377.58	
301	28'.3" x 25'.10 1/4"	710.33	
302	34'.7 1/4" x 26'.10 1/4"	908.28	
303	34'.7 1/4" x 26'.9"	936.12	
403, 404, 405, 406	18'.7" x 33'.6"	628.32	
409	32'.3" x 20'.6"	665.38	
411	30'.6" x 18'.3"	559.98	
412, 413, 414, 415	30'.6" x 25'.0"	765	
417	30'.0" x 24'.0"	720	
98	12'.0" x 11'.6"	139.2	
100	21'.0" x 12'.5"	262.5	
26	29'.2" x 20'.6"	601.52	
27	29'.2" x 23'.8"	694.96	
304	28'.3" x 25'.10 1/4"	710.33	
99	25'.8" x 21'.0"	541.8	
402	18'.7" x 33'.6"	628.32	
410	30'.3" x 16'.0"	484.8	
12	27'.6" x 18'.0"	496.8	
111, 112	20'.0" x 18'.6"	372	
113	28'.9" x 18'.6"	537.54	
114	27'.6" x 18'.6"	513.36	
115	17'.3" x 27'.3"	472.29	
116	29'.9" x 23'.6"	705.64	
211, 212	20'.3" x 18'.6"	377.58	
214	30'.10" x 27'.5"	827.75	
215	19'.00" x 19'.6"	372.4	
213	28'.10" x 19'.6"	550.76	
11	20'.0" x 18'.0"	360	


Hony. Secretary
S.S. Jain Subodh Shiksha Samiti
JAIPUR

निरन्तर 2/

कक्ष क्रमांक	आकार (लम्बाई x चौड़ाई)	क्षेत्रफल (वर्ग फीट में)	नोडल अधिकारी की टिप्पणी
24 (Physics Lab)	38'.4 ½" x 19'.7 ½"	762.3	
Chemistry Lab	47'.8" x 30'.0"	1434	
Chemistry Lab	28'.9" x 18'.0"	520.2	
Botany Lab	26'.9" x 30'.7 ½"	828.52	
Zoology Lab	38'.0" x 27'.0"	1026	
115 (Home Sc. Lab)	22'.7 ½" x 33'.0"	752.4	
Psychology	20'.3" x 18'.6"	377.58	
Computer Lab	22'.3" x 10'.1"	225.23	
"	22'.3" x 14'.3"	318.89	
"	20'.6" x 10'.1"	208.06	


Hony. Secretary
S.S. Jain Subodh Shiksha Samiti
JAIPUR
 (अध्यक्ष/सचिव प्रबंध समिति)

निरीक्षण अधिकारी

नाम

पद

मोबाइल नं.

सदस्य

नाम

पद

मोबाइल नं.

सदस्य

नाम

पद

मोबाइल नं.